

Contura

New!

i6



Save with style

Style for every environment and heating for the prudent

Do you want control over it? Then you can start by choosing Contura. It is obvious to us that you know best how you want your home. Therefore, we are not just thorough in our design and quality but we also ensure that we build freedom of choice into our fireplaces. Choose with your heart, because your new fireplace will spread comfort, heat and joy for many years.

Build new or build in

Contura i6 is our new insert which is ideal for those who have their own ideas and want to design their own fireplace.



For those who want to choose their design

Best heating economy High efficiency produces more heat using less wood

Most resource-efficient The only Swedish Swan labelled insert

Modern design Clean lines that add style to any interior

See the fire through the clear glass New efficient combustion technology minimises soot build-up

Self-closing door

More heat from the wood

When you buy an insert from Contura you get Swedish design and quality of the highest class. The generous glass area shows a lot of the flame and our unique Clean Burning System keeps the glass clean and soot free. The efficient combustion technology gives more heat from the wood.




Which door do you choose?

Contura i6 has three different doors to choose between, so that you can have the feeling and impression that you want in your home. It is self locking to give you extra safety. We have also integrated technical finesses into the insert, such as adjustable screws to help level the insert and prepare for outside air and to make installation as smooth as possible.



Hot air grate/air intake

Gives off greater heat to the room (accessory).



Self-closing door

The door closes smoothly and locks itself. It is convenient and provides extra safety.



Cast iron front

This door is cast iron with a recessed handle. The insert frame is cast iron.



Glass front


The front of the door is glass with a recessed handle in black or matt silk chrome. The insert frame is glass.



Glass door with silk matt chrome handle and trim



Glass door with black handle and trim



Accelerate or brake





Do you want fast heating and high temperature or lower heat radiation with low wood consumption? The output control makes it easy to adjust.

Technical specifications


Effect	3-7 kW
Nominal effect	5 kW
Efficiency from	78 %
Weight	92 kg
Width	593 mm
Depth	403 mm
Height	504 mm
Max. log length	35 cm
Connection diameter	125 mm

Accessories

Outdoor air connection kit.
Chimney connection for masonry fireplace
Hot air grate




Frame and door in cast iron



Frame and door in glass, chromed handle



Frame and door in glass, black handle



There must be a gap for air to circulate around the insert. More information can be found in the installation instructions.